Wilkhahn

Logon. 620 range.



Digital-brochure-620-Logon-02-SR-170908-0852



Logon.

Minimum thickness.
Maximum strength.
Fluid style.

Logon is an excellent choice for companies that equally value a sense of openness, lightness and dynamism, as well as premium quality and enduring style. Logon represents high quality, perfectly crafted design – whether as a single table or table system.

The especially lightweight look of the Logon tables is the result of a sophisticated design principle, borrowed from aircraft construction. The foot section and table top bearers are firmly braced with one another with threaded rods in the uprights. As a result, minimum material thicknesses achieve particularly high levels of strength.

Whether round or with corners, long or short – there is virtually no limit to the shapes Logon can produce. The modular structure of the table frames enable depths of 75 – 130 cm ($29^1/_2$" – $51^1/_8$") and widths of up to 300 cm ($118^1/_8$") per table segment. 45° and 90° angles are standard elements, intermediate sizes can be produced to order by Wilkhahn. The table tops, with their characteristic impact-resilient profile integrated into the lipping, are available in laminated, veneered or linoleum versions. Versatile room usage is achieved, particularly when combined with Confair and Timetable ranges of matching, portable, collapsible or swivel tables.

Design: Andreas Störiko





Dipl.-Ing. Christiane Rombach, Riotte GmbH








Logon. 620 range. Technical details.

Wilkhahn



Design: Andreas Störiko

Function
Stand-alone tables for use in offices, and system components for permanently linked table configurations in conference rooms. Ideal for combining with Confair folding tables for versatile, partitionable conference rooms.

Frame
Foot section in die-cast aluminium, bright chrome plated, polished or coated black or silver, satin finish.
Aluminium profile uprights, clear anodized or coated; coated black for bright chrome plated foot section.
Die-cast aluminium table top bearer coated in either silver satin finish or black, depending on foot section version.
Aluminium profile underframe coated in silver satin finish or black, depending on foot section version.
Uprights optionally available bright chrome plated. Centre underframe for table depths 75–90 cm (29½"–35⅜"); two separate underframes for table depths 105–130 cm (41⅜"–51⅛").
Adjustable glides in black polyamide. Lockable castors in black polyamide.

Core material of table top
Particle board with bullnose double, wood lipping and impact-resilient profile in black elastomer.
MDF panel only in combination with veneered surface finish with colour-matched, chamfered wood lipping (with a radiused edge).
For system elements: central joining edge straight without any profile.

Table top group 1 – laminate
Thickness 26 mm (1")
Laminate according to Wilkhahn colour and surface finish samples with wood lipping, natural oiled finish.

Table top group 2 – veneer
Table top thickness 26 mm (1")
Variation 1:
Beech, oak or ash veneer (exception: ash, natural finish, is not available with a chamfered edge version) according to Wilkhahn woodstain colour samples with wood lipping, as far as possible in the same colour as the veneer.
Variation 2:
Maple (exception no natural maple in chamfered-edge versions), walnut or elm veneer as well as Wilkhahn veneer Mocca according to Wilkhahn woodstain colour samples with wood lipping, as far as possible in the same colour as the veneer. (Maple, natural finish, is not available with a chamfered edge version).

Veneer version
As a standard, veneers are slip-matched onto the table top.
Surfaces sealed with clear lacquer:
Open-pore: oak, ash, walnut and elm veneer, as well as Wilkhahn veneer Mocca.
Closed-pore: maple and beech veneer.
Some specific growth features possible.

Table top group 3 – linoleum:
Thickness 27 mm (1⅛")
Linoleum according to Wilkhahn linoleum colour samples with laminated beech lipping, natural oiled finish.

Further surfaces for the formats shown in the price list are available on request.

Modesty panels
Fluted extruded aluminium profile, clear anodized or coated black.
Screw connectors to table top, clear anodized.
Modesty panels may also be retro-fitted.

Standards
Logon tables comply with the ANSI/BIFMA X 5.5 standard.

Subject to change.

Logon. 620 range. Product types.

Wilkhahn





Veneered table tops, laminate (not pictured) and linoleum each available as specified on Wilkhahn's material sample card. Bright chrome-plated foot section (not pictured), polished or coated aluminium (not pictured). Uprights and underframes in black or a silver coated satin finish (not pictured), clear anodised, optionally bright chrome-plated (not pictured).

Logon. 620 range. Table top types.

Wilkhahn

Table top groups




Laminate, veneer type 1 or 2, linoleum,
you can find further surfaces in our media center.

Laminate. The material is made by bonding cellulose and décor paper layers, as well as resin, by applying heat and pressure. This produces an extremely tough surface that comes in a variety of different colours. Laminate is highly recommended for areas where the tables are subject to a lot of wear and tear because they are frequently moved around for example.

Wood veneers. Natural wood is a living material: in the way it looks and changes over the years. Sometimes more significantly and sometimes more subtly, depending on the type of wood and how light it is. If a more consistent look is preferred, stained surfaces or industrially produced veneer (e.g. mocha) are available.

Linoleum. The material consists of linseed oil and natural resin that is applied to a backing layer and protected with a matt-glossy lacquer. In terms of haptics, it is not just extremely pleasant, but naturally anti-static too. Virtually no finger prints or dust stick to the surface. Over the years linoleum table tops gain a characteristic patina.

Uprights




Bright chrome-plated aluminium, clear anodised or coated in black or with a silver satin finish

Foot sections



Bright chrome-plated, polished aluminium or coated based on Wilkhahn samples

Table top bearers, underframes



Aluminium coated black or in a silver satin finish

You can find our current fabric collection in our media center.

The digital sample colours differ from the originals.

Logon. 620 range. Edge shapes.

Wilkhahn

Edge profiles



Standard type: bullnose with integrated impact-resilient profile
Alternatively: straight with integrated impact-resilient profile
Alternatively: chamfered on veneered versions


Bullnose edge with a black impact-resilient profile, table top 26 mm thick



Bullnose edge with a white impact-resilient profile, table top 26 mm thick



Straight edge with a black impact-resilient profile, table top 26 mm thick



Straight edge with a white impact-resilient profile, table top 26 mm thick




Edge chamfered, table top 26 mm thick



Logon. 620 range. Models and dimensions.

Wilkhahn


620/00
Table
Rectangular




Depth

Width	75	80	90	100	110	120	130
150	•	•	•	•	•	•	•
160	•	•	•	•	•	•	•
180	•	•	•	•	•	•	•
200	•	•	•	•	•	•	•
220	•	•	•	•	•	•	•
230	•	•	•	•	•	•	•
240	•	•	•	•	•	•	•
300	–	–	–	•	•	•	•

• Available
– Not available






All dimensions in cm.
Subject to change.

Logon. 620 range. Models and dimensions.


Wilkhahn


627/42
Table
Barrel shape



Width	Depth 100/120	100/130
240	•	–
260	•	–
300	–	•

• Available
– Not available





627/42

All dimensions in cm.
Subject to change.

Logon. 620 range. Models and dimensions.

Wilkhahn


621/35
Table
Round




Diameter

150	160
•	•


• Available





621/35


622/45
Table
Round




Diameter

180	220
•	•

• Available






622/45

All dimensions in cm.
Subject to change.

Logon. 620 range. Models and dimensions.


Wilkhahn

620/11
Table configuration
Starting element
Rounded short edge




Width \ Depth	80	90	100	110	120	130
160	•	•	•	•	•	•
180	•	•	•	•	•	•
200	•	•	•	•	•	•
220	•	•	•	•	•	•
230	•	•	•	•	•	•
240	•	•	•	•	•	•

• Available




620/21
Table configuration
Finishing element
Rounded short edge



Width \ Depth	80	90	100	110	120	130
160	•	•	•	•	•	•
180	•	•	•	•	•	•
200	•	•	•	•	•	•
220	•	•	•	•	•	•
230	•	•	•	•	•	•
240	•	•	•	•	•	•

• Available




All dimensions in cm.
Subject to change.

Logon. 620 range. Models and dimensions.


Wilkhahn


620/31
Table configuration
Intermediate element
Rectangular



Width \ Depth	80	90	100	110	120	130
160	•	•	•	•	•	•
180	•	•	•	•	•	•
200	•	•	•	•	•	•
220	•	•	•	•	•	•

• Available








620/31

624/91
Table configuration
Corner element 90°

90 x 10 x R 227 x 10 x 90 x 30, H 73








624/91

All dimensions in cm.
Subject to change.

Logon. 620 range. Models and dimensions.


Wilkhahn

627/51
Table configuration
Starting element
Semi-barrel shape




Width	Depth 100/130
160	•
180	•
200	•

• Available




627/51

627/61
Table configuration
Finishing element
Semi-barrel shape



Width	Depth 100/130
160	•
180	•
200	•

• Available




627/61

All dimensions in cm.
Subject to change.

Logon. 620 range. Models and dimensions.


Wilkhahn

628/51
Table configuration
Starting element
Semi-oval




Width	Depth 120
160	•
180	•
200	•

• Available




628/61
Table configuration
Finishing element
Semi-oval



Width	Depth 120
160	•
180	•
200	•

• Available




All dimensions in cm.
Subject to change.

Logon. 620 range. Models and dimensions.


Wilkhahn


622/11
Table configuration
Starting element
Semi-circle



Width \ Depth	90
180	•


• Available






622/11


622/21
Table configuration
Finishing element
Semi-circle



Width \ Depth	90
180	•

• Available






622/21

All dimensions in cm.
Subject to change.

Logon. 620 range. Models and dimensions.


Wilkhahn


622/31
Table configuration
Intermediate element
Rectangular



Width	Depth 180
80	•
160	•
220	•

• Available






622/31


All dimensions in cm.
Subject to change.


Logon. 620 range. Models and dimensions.

Wilkhahn

620/41
Table configurations
Arc-shaped module 30°
155 x 90










620/41

620/41
Table configurations
Arc-shaped module 45°
155 x 90










620/41

620/41
Table configurations
Arc-shaped module 90°
191 x 90








620/41


All dimensions in cm.
Subject to change.


Logon. 620 range. Models and dimensions.

Wilkhahn

622/00
V-shaped configuration for video conference
310 x 364








All dimensions in cm.
Subject to change.


Logon. 620 range. Models and dimensions / example configurations.

Wilkhahn

36 people
3 x 620/11, 240x90
3 x 620/21, 240x90
3 x 620/31, 160x90
6 x 620/11, 153x90, 45°



12 people
4 x 620/41, 191x90, 90°




All dimensions in cm.
Subject to change.


Logon. 620 range. Models and dimensions / example configurations.

Wilkhahn


18 people
1 x 627/51, 100/130x180
1 x 627/61, 100/130x180
2 x 620/31, 130x180




18 people
1 x 620/11, 220x90
1 x 620/21, 220x90
2 x 620/31, 220x90
4 x 620/41, 191x90, 90°



20 people
1 x 622/11, 180x90
1 x 622/21, 180x90
2 x 622/31, 220x180



20 people
4 x 620/31, 220x90
4 x 624/91, 90x10xR227x10x90x30, 90°



All dimensions in cm.
Subject to change.

Logon. 620 range. Awards / standards / certificates.

Wilkhahn

Awards

reddot

Product certificates / product standards

GREENGUARD

Green Tick Product Certification

ANSI/BIFMA X5.5

Company's certificates, memberships

WE SUPPORT

Mitglied der DGNB

FSC www.fsc.org FSC® C118389 The mark of responsible forestry

Environment and product

A material-efficient, timeless and recyclable table
Logon's sophisticated frame design isn't just attractive, but also means fewer materials are required for its manufacture. The slender cross-sections also reduce the weight and the energy consumed to transport the product. Designed as a directly linkable table system, just one foot section is required to connect table sections. The timeless design, top-quality materials, perfect craftsmanship and screw-fitted structure, plus the ease with which all the components can be repaired and dismantled, guarantee the table will last and be used for a long period of time.

- Frames comprise aluminium that combines high dimensional stability with perfect surface finish and durability. At the end of a product life cycle, aluminium is 100% recyclable without any quality loss and with low energy consumption. The tension rods in the uprights are in steel, 20% of which consists of recycled material and is, in turn, also 100% recyclable. The height-adjustable glides are in high-performance plastic that is designed with a view to maximum service life.

- The system table top in high-quality, E1 grade particle board with solid wood lipping is also 100% recyclable. Natural materials such as linoleum, laminates and real wood veneers are used to finish table tops. Veneered tops are protected with low-solvent, water-based lacquer. The integral, impactresilient profile in polypropylene protects edges and helps prevent damage.

- All frame elements and table tops are screw-fitted; this means that table tops can, for example, be disassembled and refurbished or renewed in the case of signs of wear and tear.

The Logon table system, launched in 1996, doesn't just comply with Wilkhahn's guidelines for ecologically responsible product design, the design- and material-concept as well as the sizes of the table systems coordinate precisely with the sizes of the mobile Confair folding table. If a conference room can be partitioned in various ways, combining the two ranges allows enhanced used of the space available, paying dividends in both financial and environmental terms and helping to improve an office building's ecological footprint.


Logon. 620 range. Accessories and other items.

Wilkhahn



The Logon modesty panel made of ribbed aluminium extruded profile provides privacy and hides cables.

620/2 Vertical cable channel
for channelling cables between uprights
Coated black or silver satin finish



707/1 Cable outlet
Black plastic, Ø 80 mm



707/2 Cable outlet
Aluminium coated black, Ø 85 mm



707/2 Cable outlet
Aluminium clear anodised, Ø 85 mm




Logon. 620 range. Accessories and other items.

Wilkhahn


Integrated techni-station Basic



Integrated techni-station Basic


Single table portal Executive


Single table portal Executive


Integrated techni-station Rotate


Integrated techni-station Rotate


Single table portal Basic


Single table portal Basic


Integrated techni-station Move


Integrated techni-station Compact


Cable outlets


Socket strips

Please see the price list regarding integration of the techni-stations based on table models.